

COCREATE GLOBAL TECHNOLOGIES PRIVATE LIMITED**U21009KA2023PTC179006****Registered address:** FFK Towers, #445, 2nd Floor, 17th Cross Road, Sector 4,
HSR Layout, Bangalore, Bangalore South, Karnataka - 560102, India.**Email:** info@scimplify.com**Website:** www.scimplify.com**CERTIFICATE OF ANALYSIS**

Material/Product Name	DCP		
Batch Number	SCI784/DCP/147	Quantity	300 g
Mfg. Date	Feb - 2025	Expiry Date	Jan – 2027

S. No.	Test Parameter	Specification	Result
1.	Appearance	White free flowing powder	White free flowing powder
2.	Assay as Dicalcium Phosphate	96 – 102 %	99.6
3.	Calcium	Max 23 %	Present (result may vary due to encapsulation)
4.	Phosphorus	Min 18 %	Present (result may vary due to encapsulation)
5.	Moisture	Max 5.0 %	2.3
6.	Clostridium species	Nil	Absent
7.	Spores of bacillus anthracis	Nil	Absent
8.	Lead	Max 30 ppm	10
9.	Arsenic	Max 30 ppm	10
10	Ash content	73.5 – 78 %	75.1
11	Fluorine	Max 1000 ppm	410
Remarks: The material complies with the above specification			

----	Prepared By	Reviewed By	Approved By
Name	Praveen Kumar J	Karthik V Suvarna	Prashant Mishra
Date	28/02/2025	28/02/2025	28/02/2025
Sign			

