

COCREATE GLOBAL TECHNOLOGIES PRIVATE LIMITED**U21009KA2023PTC179006****Registered address:** FFK Towers, #445, 2nd Floor, 17th Cross Road, Sector 4, HSR Layout, Bangalore, Bangalore South, Karnataka - 560102, India.**Email:** info@scimplify.com**Website:** www.scimplify.com**CERTIFICATE OF ANALYSIS**

Material/Product Name	Ammonium Molybdate		
Batch Number	APM1224139	Quantity	300 Kgs
Mfg. Date	Dec - 2024	Expiry date	Dec - 2026

S. No.	Test Parameter	Specification	Result
1	Appearance	Crystalline White	Complies
2	Assay%	98.0 to 101.0	100.75
3	Purity (as MoO ₃)%	80 to 82.5	82.14
4	Molybdenum (as Mo)%	53.5 to 55.0	54.75
5	pH (5% Solution)	5 to 6	5.30
6	Solubility (5% Solution)	Water Soluble	Pass
Remarks: The Material Complies With The Above Specification			

----	Prepared By	Reviewed By	Approved By
Name	Praveen Kumar J	Karthik V Suvarna	Prashant Mishra
Date	28/12/2024	28/12/2024	28/12/2024
Sign			

