

COCREATE GLOBAL TECHNOLOGIES PRIVATE LIMITED**U21009KA2023PTC179006****Registered address:** FFK Towers, #445, 2nd Floor, 17th Cross Road, Sector 4, HSR Layout, Bangalore, Bangalore South, Karnataka - 560102, India.**Email:** info@scimplify.com**Website:** www.scimplify.com**CERTIFICATE OF ANALYSIS**

Material/Product Name	Trisamber		
Batch No	SCTSR24001	Qty	10.00Kg
Mfg. Date	April - 2022	Exp. Date	April - 2025

S. No.	Test Parameter	Specification	Result
1.	Primary Odor Evaluation	According To Standard	-
2.	Visual Color & Appearance	According To Standard	-
3.	Color Description	Colorless To Pale Yellow	Complies
4.	Refractive Index, 20c	1.4850 -1.4900	1.4876
5.	Relative Density D20/4	0.9300 -0.9400	0.9367
6.	Relative Density D25/25	0.9290 -0.9390	0.9354
7.	Gc Peaks Percentage		
	Sum Hydrocarbons Test Condition - Gc # Polar Column (%Area)	11.00 - 22.00%	18.69
	Cyclic Ethers Test Condition - Gc # Polar Column (%Area)	75.00 - 85.00%	77.72
	Sum Alcohols Test Condition - Gc # Polar Column (%Area)	0.00 - 5.00%	3.59
Flashpoint : 201°F / 94°C			

----	Prepared By	Reviewed By	Approved By
Name	Praveen Kumar J	Karthik V Suvarna	J. Bhargava Chowdary
Date	30/05/2024	30/05/2024	30/05/2024
Sign			

