

CERTIFICATE OF ANALYSIS

Material/Product Name	TRIXYLENYL PHOSPHATE		
Batch Number	SCI/SC/06/569	Quantity	100.00 Kg
Mfg. Date	Jun-2026	Expiry Date	Jun-2028

S. No.	Test Parameter	Specification	Result
1	Appearance at 30°C	Clear & Bright	Clear & Bright
2	Colour APHA	Max. 1.0	0.5
3	Spec. Gr.20°/20°	1.130 - 1.170	1.1367
4	TAN mg KOH/g	0.1 Max	0.02
5	K Viscosity @ 40°C, cST	41.4 – 50.6	49.4
6	R. Index @ 25°C	1.549 - 1.555	1.553
7	Flash Point (COC) °C	Over 235	>235

----	Prepared By	Reviewed By	Approved By
Name	Karthik V Suvarna	Aman Kumar Trivedi	Rohit Kumar
Date	13 Jun 2026	13 Jun 2026	13 Jun 2026
Sign	<i>Karthik V Suvarna</i> Karthik V Suvarna (13 Jun 2026 05:23 PM IST)	<i>Aman Kumar Trivedi</i> Aman Kumar Trivedi (13 Jun 2026 05:35 PM IST)	<i>Rohit Kumar</i> Rohit Kumar (13 Jun 2026 09:25 PM IST)

*This document has been reviewed and approved by electronic signature.